

ebXML Messaging Protocol Binding for RegRep Version 1.0

Committee Specification 01

09 March 2021

This stage:

<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/cs01/ebrr-ebms-v1.0-cs01.odt> (Authoritative)
<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/cs01/ebrr-ebms-v1.0-cs01.html>
<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/cs01/ebrr-ebms-v1.0-cs01.pdf>

Previous stage:

<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/csd01/ebrr-ebms-v1.0-csd01.odt> (Authoritative)
<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/csd01/ebrr-ebms-v1.0-csd01.html>
<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/csd01/ebrr-ebms-v1.0-csd01.pdf>

Latest stage:

<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/ebrr-ebms-v1.0.odt> (Authoritative)
<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/ebrr-ebms-v1.0.html>
<https://docs.oasis-open.org/ebcore/ebrr-ebms/v1.0/ebrr-ebms-v1.0.pdf>

Technical Committee:

OASIS ebXML Core (ebCore) TC

Chairs:

Pim van der Eijk (pvde@sonnenglanz.net), Sonnenglanz Consulting
Sander Fieten (sander@chasquis-consulting.com), Individual member

Editors:

Nikola Stojanovic (nikola.stojanovic@acm.org), Individual member
Pim van der Eijk (pvde@sonnenglanz.net), Sonnenglanz Consulting

Related work:

This specification is related to:

- *OASIS ebXML RegRep Version 4.0 Part 2: Services and Protocols (ebRS)*. Edited by Farrukh Najmi and Nikola Stojanovic. 25 January 2012. OASIS Standard. <http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/regrep-core-rs-v4.0-os.html>.
- *OASIS ebXML Messaging Services Version 3.0: Part 1, Core Features*. Edited by Pete Wenzel. 01 October 2007. OASIS Standard. Latest version: http://docs.oasis-open.org/ebxml-msg/ebms/v3.0/core/ebms_core-3.0-spec.html.
- *AS4 Profile of ebMS 3.0 Version 1.0*. Edited by Jacques Durand and Pim van der Eijk. 23 January 2013. OASIS Standard. Latest version: <http://docs.oasis-open.org/ebxml-msg/ebms/v3.0/profiles/AS4-profile/v1.0/AS4-profile-v1.0.html>.
- *Message Service Specification Version 2.0*. 01 April 2002. https://www.oasis-open.org/committees/ebxml-msg/documents/ebMS_v2_0.pdf.

Abstract:

The OASIS ebXML Messaging Protocol Binding for RegRep Version 1.0 specifies a messaging protocol binding for the Registry Services of the OASIS ebXML RegRep Version 4.0 OASIS Standard. This binding is compatible with both the versions 2.0 and 3.0 of ebMS as well as the AS4 profile and complements the existing protocol bindings specified in OASIS RegRep Version 4.0.

Status:

This document was last revised or approved by the OASIS ebXML Core (ebCore) TC on the above date. The level of approval is also listed above. Check the "Latest stage" location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Technical Committee (TC) are listed at https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=ebcore#technical.

TC members should send comments on this specification to the TC's email list. Others should send comments to the TC's public comment list, after subscribing to it by following the instructions at the "Send A Comment" button on the Technical Committee's web page at <https://www.oasis-open.org/committees/ebcore/>.

This specification is provided under the [RF on Limited Terms](#) Mode of the [OASIS IPR Policy](#), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this Work Product, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (<https://www.oasis-open.org/committees/ebcore/ipr.php>).

Note that any machine-readable content ([Computer Language Definitions](#)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product's prose narrative document(s), the content in the separate plain text file prevails.

Citation format:

When referencing this Work Product the following citation format should be used:

[RegRep-ebMS-v1.0]

ebXML Messaging Protocol Binding for RegRep Version 1.0. Edited by Nikola Stojanovic and Pim van der Eijk. 09 March 2021. OASIS Committee Specification 01.

<https://docs.oasis-open.org/ebcore/ebr-ebms/v1.0/cs01/ebr-ebms-v1.0-cs01.html>. Latest stage:

<https://docs.oasis-open.org/ebcore/ebr-ebms/v1.0/ebr-ebms-v1.0.html>.

Notices

Copyright © OASIS Open 2021. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specification, Candidate OASIS Standard, OASIS Standard, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark> for above guidance.

Table of Contents

1	Introduction.....	5
1.1	Overview.....	5
1.2	IPR Policy.....	5
1.3	Terminology.....	5
1.4	Normative References.....	5
1.5	Non-Normative References.....	6
2	Binding for Registry Services.....	7
2.1	Introduction.....	7
2.2	Layering Approach.....	7
2.3	Registry Interface.....	7
2.4	Collaboration Information.....	8
2.5	Exceptions.....	9
2.6	Correlation.....	9
2.7	Packaging.....	10
2.8	Versions.....	10
3	Safety, Security, and Data Protection Considerations.....	12
4	Conformance.....	13
	Appendix A Example Messages (Non-Normative).....	14
	Appendix A.1 Query Request Message.....	14
	Appendix A.2 Query Response Message.....	15
	Appendix B Acknowledgments (Non-Normative).....	17
	Appendix C Revision History (Non-Normative).....	18

1 Introduction

1.1 Overview

The OASIS ebXML Messaging Protocol Binding for RegRep Version 1.0 specifies a messaging protocol binding for the OASIS ebXML RegRep Version 4.0 OASIS Standard [regrep-overview-v4.0]. It supports all the ebXML RegRep service interfaces specified in the OASIS ebXML RegRep Version 4.0 Part 2: Services and Protocols (ebRS) specification [regrep-rs-v4.0]. This specified binding is compatible with the version 2.0 [EBMS2] of ebMS, the core specification of version 3.0 of ebMS [EBMS3CORE] and the AS4 profile of ebMS3 [AS4-Profile]. It complements the existing protocol bindings specified in the OASIS ebXML RegRep Registry Services specification [regrep-rs-v4.0]. The goal of this specification is to allow users of RegRep to take advantage of the superior security, reliability and other advanced features of ebXML Messaging, and to allow users of ebXML Messaging to take advantage of the capabilities provided by RegRep.

1.2 IPR Policy

This specification is provided under the [RF on Limited Terms](#) Mode of the [OASIS IPR Policy](#), the mode chosen when the Technical Committee was established. For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the TC's web page (<https://www.oasis-open.org/committees/ebcore/ipr.php>).

1.3 Terminology

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “NOT RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in BCP 14 [RFC2119] and [RFC8174] when, and only when, they appear in all capitals, as shown here.

1.4 Normative References

- [AS4-Profile]** AS4 Profile of ebMS 3.0 Version 1.0. 23 January 2013. OASIS Standard. <http://docs.oasisopen.org/ebxml-msg/ebms/v3.0/profiles/AS4-profile/v1.0/os/AS4-profile-v1.0-os.html>.
- [EBMS2]** Message Service Specification. Version 2.0. OASIS Standard, 1 April 2002. http://www.oasis-open.org/committees/ebxml-msg/documents/ebMS_v2_0.pdf.
- [EBMS3CORE]** OASIS Standard, OASIS ebXML Messaging Services Version 3.0: Part 1, Core Features, 01 October 2007, http://docs.oasis-open.org/ebxml-msg/ebms/v3.0/core/ebms_core-3.0-spec.pdf.
- [ebMS-saml-conformance]** *SAML Conformance Clause for AS4/ebMS Version 1.0*. Edited by Ian Otto. 30 January 2014. OASIS Committee Specification 01. <http://docs.oasis-open.org/ebxml-msg/ebms-v3.0-saml-conformance/v1.0/cs01/ebms-v3.0-saml-conformance-v1.0-cs01.html>. Latest version: <http://docs.oasis-open.org/ebxml-msg/ebms-v3.0-saml-conformance/v1.0/ebms-v3.0-saml-conformance-v1.0.html>.
- [regrep-overview-v4.0]** OASIS ebXML RegRep Version 4.0 Part 0: Overview Document. 25 January 2012. OASIS Standard. <http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/regrep-core-overview-v4.0-os.html>.
- [regrep-rim-v4.0]** OASIS ebXML RegRep Version 4.0 Part 1: Registry Information Model (ebRIM). 25 January 2012. OASIS Standard. <http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/regrep-core-rim-v4.0-os.html>.

- [regrep-rs-v4.0]** OASIS ebXML RegRep Version 4.0 Part 2: Services and Protocols (ebRS). 25 January 2012. OASIS Standard.
<http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/regrep-core-rs-v4.0-os.html>.
- [regrep-wsdl-v4.0]** OASIS ebXML RegRep Version 4.0 Part 4: WSDL Definitions. OASIS Standard.
<http://docs.oasis-open.org/regrep/regrep-core/v4.0/csd02/wsdl>.
- [RFC2119]** Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997,
<http://www.rfc-editor.org/info/rfc2119>.
- [RFC3121]** Best, K., Walsh N., "A URN Namespace for OASIS", RFC 3121, DOI 10.17487/RFC3121, June 2001, <http://www.rfc-editor.org/info/rfc3121>.
- [RFC8174]** Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <http://www.rfc-editor.org/info/rfc8174>.
- [RFC8446]** Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", RFC 8446, DOI 10.17487/RFC8446 , August 2018,
<https://www.rfc-editor.org/info/rfc8446>.
- [WSSSMS]** *OASIS Web Services Security: SOAP Message Security Version 1.1.1*. Edited by A. Nadalin, C. Kaler, R. Monzillo, P. Hallam-Baker and C. Milono. OASIS Standard, May 2012. <http://docs.oasis-open.org/wss-m/wss/v1.1.1/wss-SOAPMessageSecurity-v1.1.1.doc>
- [XMLENC-CORE]** *XML Encryption Syntax and Processing*. W3C Recommendation 10 December 2002. Latest version: <http://www.w3.org/TR/xmlenc-core/>
- [XMLENC-CORE1]** *XML Encryption Syntax and Processing Version 1.1*, D. Eastlake, J. Reagle, F. Hirsch, T. Roessler, Editors, W3C Recommendation, April 11, 2013,
<http://www.w3.org/TR/2013/REC-xmlenc-core1-20130411/>. Latest version available at <http://www.w3.org/TR/xmlenc-core1/>.

1.5 Non-Normative References

- [EBCOREISSUES]** Issue tracker of the OASIS ebCore TC.
<https://issues.oasis-open.org/projects/EBCORE/issues/>
- [EBMSISSUES]** Issue tracker of the OASIS ebXML Messaging TC
<https://issues.oasis-open.org/browse/EBXMLMSG/issues/>.

2 Binding for Registry Services

2.1 Introduction

This binding concerns the RegRep Registry Services [regrep-rs-v4.0]. It specifies:

- The approach adopted to layering the ebXML Messaging and RegRep functionality (see section 2.2).
- A mapping of RegRep operations to Message Exchange Patterns (MEPs; see section 2.3).
- A specification of predetermined values for some values in the `eb:Messaging` header and the P-Mode parameters that control their values (section 2.4).
- The way exceptions are exchanged (see section 2.5).
- Correlation of requests and responses (see section 2.6).
- Use of the SOAP-with-attachments envelope for the transmission of repository objects (see section 2.7).
- Versions of ebXML Messaging supported (see section 2.8).

Except where specified in this specification, this binding places no constraints on the use of ebXML Messaging features. In particular:

- WS-Security [WSSSMS] and using Transport Layer Security [RFC8446] MAY be used to provide message integrity, authentication, non-repudiation and confidentiality.
- This binding MAY also be used in conjunction with the SAML conformance clause for ebMS [ebMS-saml-conformance].
- Reliable messaging MAY be used to ensure guaranteed message delivery.
- Message transfer MAY use Push or Pull transport channel binding and MAY use HTTP or SMTP transport protocol bindings.

2.2 Layering Approach

This specification is based on a loose coupling between the RegRep and ebXML Messaging layers.

- The binding supports implementation using unmodified ebXML Message Service Handler (MSH) implementations, provided that in deployment in the MSH the Processing Mode definitions ([EBMS3CORE], chapter 4 and Appendix D) are configured in accordance with this specification.
- The binding supports exchange of RegRep payloads based on unmodified RegRep XML schemas defined in the RegRep standard [regrep-rim-v4.0,regrep-rs-v4.0]. This means all functionality of an existing RegRep implementation other than the message protocol binding (Web Services or REST) can be reused without modification.

As a consequence of this approach, each of RegRep or ebMS layers contains identifiers and correlation identifiers. These values are set independently (see section 2.6).

2.3 Registry Interface

The Registry Services, which are defined in the RegRep Registry Services specification [regrep-rs-v4.0], can be mapped to ebXML Message Exchange Patterns, as defined in section 2.2 of the ebMS3 Core Specification [EBMS3CORE]. In that specification, exchange patterns are classified as One Way exchanges or as Two Way exchanges.

The following ebRS interfaces map to Two Way Message Exchange Patterns:

- Query Manager Interface ([regrep-rs-v4.0], section 2).
- Lifecycle Manager Interface ([regrep-rs-v4.0], section 3).
- Validator Interface ([regrep-rs-v4.0], section 5)
- Cataloger Interface ([regrep-rs-v4.0], section 6)

The following ebRS interface maps to a One Way Exchange Pattern:

- Notification ([regrep-rs-v4.0], section 7)

For the Registry Services interfaces, which are modeled as operations in the RegRep WSDL definitions [regrep-wsdl-v4.0], the mapping is as follows:

- The *input* of the operation maps to the first leg of the ebMS exchange.
- The *output* or *fault* of the operation (if present) maps to the second leg of the ebMS exchange.

This specification does not constrain the transport channel and transport protocol bindings for the RegRep interface. Some examples of bindings are the following:

- For the interface that uses the One Way MEP, one possible binding uses an SMTP binding. Another possibility would be to use the One Way Push binding with HTTP.
- For the interfaces that use the Two Way MEP, one possible binding is to follow the synchronous SOAP protocol binding specified in section 13 of the RegRep registry services specification [regrep-rs-v4.0] and use a synchronous exchange over the HTTP protocol, in which the second leg uses the HTTP backchannel.
- For the interfaces that use the Two Way MEP, another possible binding involves the so-called Two-Way/Push-and-Push MEP (see section 2.2.8 in [EBMS3CORE]) that composes the choreographies of two One-Way/Push MEPs in opposite directions.

Constraints on channels and transport protocol bindings MAY be specified in profiles of this specification. Note that the AS4 profile of ebMS3 is limited to asynchronous exchanges and to the HTTP protocol. It therefore does not support the Two Way Sync binding. Many available AS4 implementations do support the Two-Way/Push-and-Push MEP.

This specification does not constrain values for the `eb:From/eb:Role` and `eb:To/eb:Role` elements.

2.4 Collaboration Information

In ebXML version 3.0, user messages have a mandatory `eb:CollaborationInfo` section that includes mandatory `eb:Service` and `eb:Action` elements. This profile specifies recommended values for these elements and for the `type` attribute of `eb:Service`.

- The value of the `type` attribute of the `eb:Service` element in `eb:CollaborationInfo` SHOULD be set to `urn:oasis:names:tc:ebcore:ebms:binding:1.0`. This indicates that the exchange uses the ebXML Messaging Protocol Binding for RegRep Version 1.0 as defined in this specification. These values can be configured using the **PMode[1].BusinessInfo.Service** and **PMode[2].BusinessInfo.Service** processing mode parameters.
- The content of the `eb:Service` and the `eb:Action` elements for the Registry Services interfaces SHOULD be set to the values specified in table 1.
 1. The **Service** column specifies content of the `eb:Service` element These values can be configured using the **PMode[1].BusinessInfo.Service** and **PMode[2].BusinessInfo. Service** processing mode parameters.

2. The **Action [1]** column specifies the value of the `eb:Action` element that SHOULD be used in the first leg message. This value can be configured for exchanges using the **PMode[1].BusinessInfo.Action** processing mode parameter.
3. For Two Way MEPs, the **Action [2]** column specifies the value of the `eb:Action` element that SHOULD be used in the second leg message in the case of a successful exchange. This value can be configured for exchanges using the **PMode[2].BusinessInfo.Action** processing mode parameter. This column is not applicable in the case of One Way message exchanges.

Interface	Service	Action [1]	Action [2]
Query Manager	QueryManager	ExecuteQueryRequest	ExecuteQueryResponse
LifeCycle Manager	LifecycleManager	RemoveObjectsRequest	RemoveObjectsResponse
		SubmitObjectsRequest	SubmitObjectsResponse
		UpdateObjectsRequest	UpdateObjectsResponse
Validator	Validator	ValidateObjectsRequest	ValidateObjectsResponse
Cataloger	Cataloger	CatalogObjectsRequest	CatalogObjectsResponse
Notification	Notification	OnNotificationRequest	N/A

Table 1: Registry Services BusinessInfo Values

The **Action [2]** column does not cover the case of an exchange that resulted in an error situation. See section 2.5 on exchange of exceptions.

In all interfaces that are mapped to Two Way MEP, the second leg MUST be correlated with the first leg using cross-references, as explained in 2.6 below.

2.5 Exceptions

If an error is encountered by the receiving RegRep registry services handler during the processing of a RegRep request, the server MUST return an exception. To report the exception, it MUST be encoded as a `rs:Exception` child element of a `rs:RegistryResponse` element. This `rs:RegistryResponse` element MUST be set to be the message payload of an AS4 `eb:UserMessage` element which MUST be returned as an ebMS3 response user message. An error relating to RegRep registry services processing MUST NOT be returned as a `rs:RegistryException` SOAP Fault.

To differentiate error responses that contain `rs:Exception` elements from successful responses, the value of the `eb:Action` element in the `eb:CollaborationInfo` container in the response user message MUST be set to the value `ExceptionResponse`.

2.6 Correlation

Response messages contains independent correlation information at both the RegRep and ebMS layers.

- The value of the `requestId` attribute on `rs:RegistryResponse` MUST be set to the value of the `id` attribute on the registry request that the response relates to.

- The value of the `eb:RefToMessageId` element in the `eb:MessageInfo` container in the response user message MUST be set to the value of the `eb:MessageId` element in the `eb:MessageInfo` container in the request user message that it relates to.

This correlation information enables appropriate processing of response, also in situations where asynchronous transport protocol bindings are used and responses may arrive out-of-order, and at unpredictable times.

2.7 Packaging

The ebXML Messaging specification uses the SOAP-with-attachments specification to encode ebXML messages and their payloads. A single ebXML user message can have multiple payloads in arbitrary formats, including native binary formats that are not base64 encoded. This feature is useful for:

- Responses to queries (using the QueryManager interface) that carry registry objects.
- Submissions to the registry (using the LifecycleManager interface) that carry data to be registered.

In the QueryManager interface, the response message uses the `query:QueryResponse` object that contains a `rim:RegistryObjectList` that contains `rim:RegistryObject` elements. A `rim:RegistryObject` of type `rim:ExtrinsicObjectType` can include an embedded object or a `rim:RepositoryItemRef`. When using SOAP-with-attachments as used in ebXML Messaging, a repository item reference can link to a repository item that is carried as a separate MIME part. This has several advantages:

- The external payload, if it is in a non-textual binary format, can be carried in its native format, obviating the need for Base64 encoding and therefore reducing the size of the message.
- When using AS4, the external payload can be compressed, also reducing the size of the message payload.

An ebXML Message MUST include `eb:PartInfo` elements in the `eb:PayloadInfo` section of the `eb:UserMessage` for all payload parts. If a message contains both RegRep XML content and separate payload parts, the `eb:PayloadInfo` section MUST include `eb:PartInfo` elements for both the RegRep XML content and all other payload parts. The `eb:PartInfo` element relating to the RegRep XML content MUST precede any other `eb:PartInfo` elements in the `eb:PayloadInfo` section.

If the RegRep XML content is carried in the SOAP Body, the `href` attribute on the related `eb:PayloadInfo` MUST be absent as specified in section 5.2.2.13 of ebMS3 Core [EBMS3CORE].

In ebMS3 and AS4, the SOAP Body MAY remain empty. RegRep XML content MAY therefore also be packaged in a separate MIME part. In that case, the related `eb:PayloadInfo` MUST contain an `href` attribute that references the MIME part containing the RegRep XML content using its MIME Content Identifier.

The syntax and semantics of RegRep messages, as defined in the RegRep Registry Services [regrep-rs-v4.0] and Registry Information Model [regrep-rim-v4.0] specifications, are not affected by this specification.

Note that ebXML Messaging MAY use XML Encryption to secure messages [XMLENC-CORE, XMLENC-CORE1]. When using XML Encryption, the content of MIME payload parts is in binary encrypted form.

2.8 Versions

This specification defines version 1.0 of ebXML Messaging Protocol Binding for RegRep. Messages using this version can be distinguished from any future versions of this specification can be recognized at run-time by checking the value for the `type` attribute on `eb:Service` element.

This specification covers ebXML Messaging Version 3.0 [EBMS3CORE] including the AS4 profile [AS4-Profile]. This specification MAY also be used in conjunction with version 2.0 of ebXML Messaging

[EBMS3CORE] instead of version 3.0 or AS4, by applying the v2.0-v3.0 compatibility mapping specified in Appendix F of [EBMS3CORE].

Note that the SAML Conformance Clause for ebMS is specified for version 3.0 of ebMS only [ebMS-saml-conformance].

3 Safety, Security, and Data Protection Considerations

For data security and privacy reasons, message exchange based on this specification SHOULD use message layer security (Web Services Security, [WSSSMS]) and/or transport layer security ([RFC8446]).

4 Conformance

In order to claim conformance to the ebXML Messaging Protocol Binding for RegRep Version 1.0, an implementation:

- MUST be a conformant implementation of one of the supported versions of ebXML messages specified in section 2.8.
- MUST be a conformant implementation of the RegRep Registry Services [regrep-rs-v4.0].
- MUST satisfy all the mandatory requirements specified in section 2 of this specification.

Appendix A Example Messages (Non-Normative)

This appendix contains a sample RegRep AS4 request and corresponding response. It is assumed WS-Security is used to secure the message, but details of the `wsse:Security` header are omitted for brevity.

In both examples, the RegRep XML contained is carried in the SOAP Body. As explained in section 2.7, the ebMS3 and AS4 specifications also allow the RegRep XML content to be carried in a separate MIME part.

Appendix A.1 Query Request Message

The following is a simplified example of an ebMS3 Query Request message.

```
Content-Type: multipart/related; type="application/soap+xml";
  boundary="b6e68776-47ea2784152c-de60-4b15-b324-b399052af5f1";
  start="<79780742-84a4-498f-b889-572bcacfb379@requester.example.com>"
Content-Length:123456

--b6e68776-47ea2784152c-de60-4b15-b324-b399052af5f1
Content-Type: application/soap+xml; charset=UTF-8
Content-Transfer-Encoding: binary
Content-ID: <79780742-84a4-498f-b889-572bcacfb379@requester.example.com>

<env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope">
  <env:Header>
    <eb:Messaging xmlns:eb="http://docs.oasis-open.org/ebxml-msg/ebms/v3.0/ns/core/200704/"
      xmlns:wsu=
        "http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
      env:mustUnderstand="true" wsu:Id="_210bca51-e9b3-4eel-81e7-226949ab6ff6">
      <eb:UserMessage
        mpc="http://docs.oasis-open.org/ebxml-msg/ebms/v3.0/ns/core/200704/defaultMPC">
        <eb:MessageInfo>
          <eb:Timestamp>2020-07-24T14:07:36.000Z</eb:Timestamp>
          <eb:MessageId>8196c8e2@requester.example.com</eb:MessageId>
        </eb:MessageInfo>
        <eb:PartyInfo>
          <eb:From>
            <eb:PartyId type="urn:oasis:names:tc:ebcore:partyid-type:iso6523:0088"
              >1234567890</eb:PartyId>
            <eb:Role>http://example.com/roles/Initiator</eb:Role>
          </eb:From>
          <eb:To>
            <eb:PartyId type="urn:oasis:names:tc:ebcore:partyid-type:iso6523:0088"
              >0987654321</eb:PartyId>
            <eb:Role>http://example.com/roles/Responder</eb:Role>
          </eb:To>
        </eb:PartyInfo>
        <eb:CollaborationInfo>
          <eb:Service
            type="urn:oasis:names:tc:ebcore:ebms:binding:1.0"
            >QueryManager</eb:Service>
          <eb:Action>ExecuteQueryRequest</eb:Action>
          <eb:ConversationId>6C24403E35E6</eb:ConversationId>
        </eb:CollaborationInfo>
        <eb:PayloadInfo>
          <eb:PartInfo/>
        </eb:PayloadInfo>
      </eb:UserMessage>
    </eb:Messaging>
    <wsse:Security
      xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
      <!-- Details omitted -->
    </wsse:Security>
  </env:Header>
  <env:Body
```

```

xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
wsu:Id="_840b593a-a40f-40d8-a8fd-89591478e5df">
  <query:QueryRequest
    id="c4369c4d-740e-4b64-80f0-7b209a66d629"
    xmlns:xlink="http://www.w3.org/1999/xlink"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:rim="urn:oasis:names:tc:ebxml-regrep:xsd:rim:4.0"
    xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:4.0"
    xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:4.0"
    xsi:schemaLocation="urn:oasis:names:tc:ebxml-regrep:xsd:query:4.0
      http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/xsd/query.xsd" >
    <query:ResponseOption returnType="LeafClassWithRepositoryItem" />
    <query:Query queryDefinition="a_query">
      <rim:Slot name="a_parameter">
        <rim:SlotValue xsi:type="rim:StringValueType">
          <rim:Value>Avalue</rim:Value>
        </rim:SlotValue>
      </rim:Slot>
    </query:Query>
  </query:QueryRequest>
</env:Body>
</env:Envelope>
--b6e68776-47ea2784152c-de60-4b15-b324-b399052af5f1--

```

Appendix A.2 Query Response Message

The following is a simplified example of an ebMS3 Query Response message.

```

Content-Type: multipart/related; type="application/soap+xml";
  boundary="cdabc321-68a2-4a37-bb27-090b865f97e3";
  start="<89c1a7c2-d546-4f31-a363-d8949eb12d00@responder.example.com>"
Content-Length:789012

--cdabc321-68a2-4a37-bb27-090b865f97e3
Content-Type: application/soap+xml; charset=UTF-8
Content-Transfer-Encoding: binary
Content-ID: <a89c1a7c2-d546-4f31-a363-d8949eb12d00@responder.example.com>

<env:Envelope xmlns:env="http://www.w3.org/2003/05/soap-envelope">
  <env:Header>
    <eb:Messaging xmlns:eb="http://docs.oasis-open.org/ebxml-msg/ebms/v3.0/ns/core/200704/"
      xmlns:wsu=
        "http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
      env:mustUnderstand="true" wsu:Id="_b7bc97b3-dbbe-4085-82ee-37887307a602">
    <eb:UserMessage
      mpc="http://docs.oasis-open.org/ebxml-msg/ebms/v3.0/ns/core/200704/defaultMPC">
    <eb:MessageInfo>
      <eb:Timestamp>2020-07-24T14:09:22.000Z</eb:Timestamp>
      <eb:MessageId>21a5b467@responder.example.com</eb:MessageId>
      <eb:RefToMessageId>8196c8e2@requester.example.com</eb:RefToMessageId>
    </eb:MessageInfo>
    <eb:PartyInfo>
      <eb:From>
        <eb:PartyId type="urn:oasis:names:tc:ebcore:partyid-type:iso6523:0088"
          >0987654321</eb:PartyId>
        <eb:Role>http://example.com/roles/Responder</eb:Role>
      </eb:From>
      <eb:To>
        <eb:PartyId type="urn:oasis:names:tc:ebcore:partyid-type:iso6523:0088"
          >1234567890</eb:PartyId>
        <eb:Role>http://example.com/roles/Initiator</eb:Role>
      </eb:To>
    </eb:PartyInfo>
    <eb:CollaborationInfo>
      <eb:Service
        type="urn:oasis:names:tc:ebcore:ebms:binding:1.0"
        >QueryManager</eb:Service>
      <eb:Action>ExecuteQueryResponse</eb:Action>
      <eb:ConversationId>6C24403E35E6</eb:ConversationId>
    </eb:CollaborationInfo>
  </env:Header>
  <env:Body>
  </env:Body>
</env:Envelope>

```



```
</eb:CollaborationInfo>
<eb:PayloadInfo>
  <eb:PartInfo/>
  <eb:PartInfo
    href="cid:b0224d17-2c43-4d66-a1e8-b08a26e4a5cc@responder.example.com"/>
  </eb:PayloadInfo>
</eb:UserMessage>
</eb:Messaging>
<wsse:Security xmlns:wsse=
  "http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
  <!-- Details omitted -->
</wsse:Security>
</env:Header>
<env:Body
  xmlns:wsu=
    "http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
  wsu:Id="_840b593a-a40f-40d8-a8fd-89591478e5df">
<query:QueryResponse requestId="c4369c4d-740e-4b64-80f0-7b209a66d629"
  status="urn:oasis:names:tc:ebxml-regrep:ResponseStatusType:Success"
  xmlns:xlink="http://www.w3.org/1999/xlink"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:rsm="urn:oasis:names:tc:ebxml-regrep:xsd:rsm:4.0"
  xmlns:query="urn:oasis:names:tc:ebxml-regrep:xsd:query:4.0"
  xmlns:rs="urn:oasis:names:tc:ebxml-regrep:xsd:rs:4.0"
  xsi:schemaLocation="urn:oasis:names:tc:ebxml-regrep:xsd:query:4.0
  http://docs.oasis-open.org/regrep/regrep-core/v4.0/os/xsd/query.xsd">
<rim:RegistryObjectList>
  <rim:RegistryObject
    xsi:type="rim:ExtrinsicObjectType"
    id="f723c3e0-3143-412a-80aa-b99905db8544">
    <rim:Slot name="a_data_element">
      <rim:SlotValue xsi:type="rim:StringValueType">
        <rim:Value>Value of the data element</rim:Value>
      </rim:SlotValue>
    </rim:Slot>
    <rim:RepositoryItemRef
      xlink:href="cid:b0224d17@responder.example.com"
      xlink:type="simple"/>
    </rim:RegistryObject>
  </rim:RegistryObjectList>
</query:QueryResponse>
</env:Body>
</env:Envelope>
--cdabc321-68a2-4a37-bb27-090b865f97e3
Content-Type: application/pdf; charset=UTF-8
Content-Transfer-Encoding: binary
Content-ID: <b0224d17@responder.example.com>

BINARY DATA

--b6e68776-47ea2784152c-de60-4b15-b324-b399052af5f1--
```

Appendix B Acknowledgments (Non-Normative)

This specification was created in the OASIS ebCore Technical Committee, whose voting members at the time of writing included the following individuals::

Berntzen, Mr. Sigbjorn, Directorate of Labour and Welfare Norway
Kirschner, Mr. Torsten, Directorate of Labour and Welfare Norway
Fieten, Sander, Individual
Kramer, Theo, Individual
Stojanovic, Mr. Nikola, Individual
Bergheim, Mr. Erlend Klakegg, Norwegian Digitalisation Agency
Eijk, Mr. Pim van der, Sonnenglanz Consulting
Moberg, Dr. Dale, Sonnenglanz Consulting
van Nigtevecht, Mr. Ernst Jan, Sonnenglanz Consulting

Appendix C Revision History (Non-Normative)

Revision	Date	Editor	Changes Made
WD01	2020-06-05	PvdE	Initial working draft.
WD02	2020-06-08	NS, PvdE	Updates from Nikola.
WD03	2020-06-10	NS	To be shared with ebCore TC
WD04	2020-07-24	PvdE	Updates: <ul style="list-style-type: none">• Used type attribute of Service, version information is recorded there.• Service and Action values simplified.• Explained the layering principles and loose coupling.• Complete examples• Conformance• Acknowledgments
WD05	2020-08-03	NS, PvdE	Updates: <ul style="list-style-type: none">• Improved consistency in naming of actions.• Editorial.• Mention potential use of XML Encryption in packaging.
WD06	2020-08-06	PvdE	Updates: <ul style="list-style-type: none">• Clarified that the RegRep content, in ebMS3/AS4, can go either in the SOAP Body or into a separate MIME part.• Clarified href attribute presence and value.• Corrected error in PayloadInfo in examples.