

[MS-NLMP]: NT LAN Manager (NTLM) Authentication Protocol

This topic lists the Errata found in [MS-NLMP] since it was last published. Since this topic is updated frequently, we recommend that you subscribe to these RSS or Atom feeds to receive update notifications.



Errata are subject to the same terms as the Open Specifications documentation referenced.

Errata Published*	Description
2022/07/26	<p>In section 2.2.1.2 CHALLENGE_MESSAGE: Added statement that the server MUST return the NTLMSSP_NEGOTIATE_SIGN if set by the client.</p> <p>Changed from:</p> <p>NegotiateFlags (4 bytes): A NEGOTIATE structure that contains a set of flags, as defined by section 2.2.2.5. The server sets flags to indicate options it supports or, if there has been a NEGOTIATE_MESSAGE (section 2.2.1.1), the choices it has made from the options offered by the client.</p> <p>Changed to:</p> <p>NegotiateFlags (4 bytes): A NEGOTIATE structure that contains a set of flags, as defined by section 2.2.2.5. The server sets flags to indicate options it supports or, if there has been a NEGOTIATE_MESSAGE (section 2.2.1.1), the choices it has made from the options offered by the client. If the client has set the NTLMSSP_NEGOTIATE_SIGN in the NEGOTIATE_MESSAGE the Server MUST return it.</p>

Date format: YYYY/MM/DD